

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	9	(709/202.ccls. or 709/206.ccls. or 380/277.ccls.) and (random or randomly) near5 (MTA or "mail server" or server or path or pathway) with (segment or section or chunk or part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/08 11:37
S1	135161	("IBM".as. or "International Business Machines".as.) and (@ad<"20060526" or @rlad<"20060526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:24
S2	8122	(709/202.ccls. or 709/206.ccls.) and (@ad<"20060526" or @rlad<"20060526")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:24
S7	863	(@ad<"20060526" or @rlad<"20060526") and (709/202.ccls. or 709/206.ccls. or 380/277.ccls.) and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:28
S8	95	S7 and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near8 (algorithm or procedure or protocol)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:29
S13	14	(chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) and (modulus or modulo)	DERWENT; IBM_TDB	OR	ON	2009/11/10 10:48
S14	9	S7 and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near8 (algorithm or procedure or protocol) and (modulus or modulo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:48
S15	4	"Collet, Jean-Luc".in. and "Drouet, Francois-Xavier".in. and "Marmigere, Gerard".in. and "Picon, Joaquin".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 10:49

S16	69	((@ad<"20041129" or @rlad<"20041129") and ((modulo or clock) adj (addition or arithmetic)) with (divid\$4 or segment\$5 or split \$4 or chunk\$4 or packet\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 11:26
S19	61	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls. or 380/277. ccls.) and (chunk\$4 or fragment\$4 or divid\$4 or split \$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) with character	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 12:20
S20	39	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls. or 380/277. ccls.) and ((chunk\$4 or fragment\$4 or divid\$4 or split \$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message)) and (reassemb\$5 or assemb\$5 or combin\$5) near5 (fragment\$4 or chunk or segment\$4 or part or section) near5 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:04
S21	12	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls. or 380/277. ccls.) and ((chunk\$4 or fragment\$4 or divid\$4 or split \$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) same (multiple or many or plurality or several or diverg \$5) near5 (MTA or server or route or path)) and (reassemb\$5 or assemb\$5 or combin\$5) near5 (fragment \$4 or chunk or segment\$4 or part or section) near5 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:15
S22	27	S20 NOT S21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:16

S23	14	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls.) and ((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message or transmission)) same ((reassemb\$5 or assemb\$5 or combin\$5) near5 (fragment\$4 or chunk or segment\$4 or part or section) near5 (server or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:38
S29	151	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls.) and ((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message or transmission or data)) and ((reassemb\$5 or assemb\$5 or combin\$5 or recomb\$5) near5 (fragment\$4 or chunk\$2 or segment\$4 or part or section) near3 (server or device))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:57
S30	23	((@ad<"20041129" or @rlad<"20041129") and ("709"/\$4.ccls.) and ((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message or transmission or data)) and ((reassemb\$5 or assemb\$5 or combin\$5 or recomb\$5) near5 (fragment\$4 or chunk\$2 or segment\$4 or part or section) near3 (server or device) near5 (local or proxy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 14:59
S32	26	((@ad<"20041129" or @rlad<"20041129") and ((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message or transmission or data)) and ((reassemb\$5 or assemb\$5 or combin\$5 or recomb\$5) near2 server near2 local)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 15:03

S33	63	(@ad< "20041129" or @rlad< "20041129") and ("709"/\$4.ccls.) and "709"/\$4.ccls. and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (reassemb\$5 or assemb\$5 or combin\$5 or recomb\$5) near2 server	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 15:06
S40	11	(@ad< "20060526" or @rlad< "20060526") and (709/202.ccls. or 709/206.ccls. or 380/277.ccls.) and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) and ((reassemb\$5 or combin\$4 or merg\$4) near5 (email or e-mail or "electronic mail" or message) near4 server)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 15:21
S44	2	(@ad< "20060526" or @rlad< "20060526") and (709/202.ccls. or 709/206.ccls. or 380/277.ccls.) and (chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) near5 (encrypt\$5 or hash\$4) near6 individual\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/10 15:58
S54	1543	("IBM".as. or "International Business Machines".as.) and (@ad< "20060526" or @rlad< "20060526") and @pd> "20091110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 11:30
S55	372	(709/202.ccls. or 709/206.ccls.) and (@ad< "20060526" or @rlad< "20060526") and @pd> "20091110"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 11:30
S60	56	(chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message) with (modulus or modulo)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 12:04
S61	146	((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment\$5) near5 (email or e-mail or "electronic mail" or message)) and ((chunk or fragment or segment) near2 (number\$4 or identifier) with (merg\$4 or reassemb\$4 or reassembl\$4 or combin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 12:05

S62	9	((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment \$5) near5 (email or e-mail or "electronic mail")) and ((chunk or fragment or segment) near2 (number\$4 or identifier) with (merg\$4 or reassemb\$4 or re-assembl\$4 or combin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 12:16
S64	3	"Taniguchi, Hiroki".in. and fragment\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 12:21
S65	48	((chunk\$4 or fragment\$4 or divid\$4 or split\$5 or segment \$5) near5 (email or e-mail or "electronic mail")) and ((chunk or fragment or segment) near2 (number\$4 or identifier) same (merg\$4 or reassemb\$4 or re-assembl\$4 or combin\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 12:48
S71	4	"Collet, Jean-Luc".in. and "Drouet, Francois-Xavier".in. and "Marmigere, Gerard".in. and "Picon, Joaquin".in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:11
S73	52	(random or randomly) near5 (MTA or "mail server")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 16:54
S77	1	709/206.ccls. and (random or randomly) near5 (MTA or "mail server" or server or path or pathway) with (segment or section or chunk or part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 17:01
S78	42	"709"/\$5.ccls. and (random or randomly) near5 (MTA or "mail server" or server or path or pathway) with (segment or section or chunk or part)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 17:01
S79	8	"709"/\$5.ccls. and (random or randomly) near5 (MTA or "mail server" or server or path or pathway) with (segment or section or chunk or part) with (sent or sending or transmitted or transmission or directed)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 17:02

S80	134	709/206.ccls. and (random or randomly random\$5) near5 (MTA or "mail server" or server or path or pathway)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/05 17:06
-----	-----	--	---	----	----	---------------------

3/ 8/ 2010 11:38:13 AM

C:\ Documents and Settings\ jmacilwinen\ My Documents\ EAST\ Workspaces\ 596050.wsp